

T2,5 06 (passo 2,5 mm) per cinghia di larghezza 6 mm
T2,5 06 (2,5 mm pitch) for 6 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 0,5 Flange 0,5	Df	Dm	B1	B2	L
	16T2,5/12-2	1F	12	9,55	9,03	Bm73	12,0	12	9	8	16
	16T2,5/14-2	1F	14	11,14	10,62	Bm74	15,0	14	9	8	16
	16T2,5/15-2	1F	15	11,94	11,42	Bm74	15,0	15	9	8	16
	16T2,5/16-2	1F	16	12,73	12,21	Bm75	16,0	16	9	8	16
	16T2,5/18-2	AF	18	14,32	13,80	Bm75	16,0	10	10	8	16
	16T2,5/19-2	AF	19	15,12	14,60	Bm0	19,5	10	10	8	16
	16T2,5/20-2	AF	20	15,92	15,40	Bm1	22,0	11	10	8	16
	16T2,5/22-2	AF	22	17,51	16,99	Bm1	22,0	11	10	8	16
	16T2,5/24-2	AF	24	19,10	18,58	Bm1	22,0	12	10	8	16
	16T2,5/25-2	AF	25	19,89	19,37	Bm2	25,0	13	10	8	16
	16T2,5/26-2	AF	26	20,69	20,17	Bm2	25,0	14	10	8	16
16T2,5/28-2	AF	28	22,28	21,76	Bm2	25,0	14	10	8	16	
16T2,5/30-2	AF	30	23,87	23,35	Bm3	28,0	16	10	8	16	
16T2,5/32-2	AF	32	25,46	24,95	Bm4	32,0	16	10	8	16	
16T2,5/36-2	AF	36	28,65	28,13	Bm5	36,0	20	10	8	16	
16T2,5/40-2	AF	40	31,83	31,31	Bm6	38,0	22	10	8	16	
16T2,5/44-0	A	44	35,01	34,50	-	-	24	10	-	16	
16T2,5/48-0	A	48	38,20	37,68	-	-	26	10	-	16	
16T2,5/60-0	A	60	47,75	47,23	-	-	34	10	-	16	

T5 10 (passo 5 mm) per cinghia di larghezza 10 mm
T5 10 (5 mm pitch) for 10 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	21T5/10-2	AF	10	15,92	15,09	Bm0	19,5	11	15	11,5	21
	21T5/12-2	AF	12	19,10	18,27	Bm1	22,0	11	15	11,5	21
	21T5/14-2	AF	14	22,28	21,45	Bm2	25,0	14	15	11,5	21
	21T5/15-2	AF	15	23,87	23,04	Bm3	28,0	16	15	11,5	21
	21T5/16-2	AF	16	25,46	24,64	Bm4	32,0	18	15	11,5	21
	21T5/18-2	AF	18	28,65	27,82	Bm4	32,0	20	15	11,5	21
	21T5/19-2	AF	19	30,24	29,41	Bm5	36,0	22	15	11,5	21
	21T5/20-2	AF	20	31,83	31,00	Bm5	36,0	23	15	11,5	21
	21T5/22-2	AF	22	35,01	34,19	Bm6	38,0	24	15	11,5	21
	21T5/24-2	AF	24	38,20	37,37	Bm7	41,0	26	15	11,5	21
	21T5/25-2	AF	25	39,79	38,96	Bm8	47,0	26	15	11,5	21
	21T5/26-2	AF	26	41,38	40,55	Bm8	47,0	26	15	11,5	21
	21T5/27-2	AF	27	42,97	42,14	Bm9	48,0	30	15	11,5	21
	21T5/28-2	AF	28	44,56	43,73	Bm9	48,0	32	15	11,5	21
	21T5/30-2	AF	30	47,75	46,92	Bm10	51,0	34	15	11,5	21
	21T5/32-2	AF	32	50,93	50,10	Bm11	54,0	38	15	11,5	21
	21T5/36-2	AF	36	57,30	56,47	Bm14	63,0	38	15	11,5	21
21T5/40-2	AF	40	63,66	62,83	Bm15	66,0	40	15	11,5	21	
21T5/42-2	AF	42	66,85	66,02	Bm16	72,0	40	15	11,5	21	
21T5/44-0	A	44	70,03	69,20	-	-	45	15	-	21	
21T5/48-0	A	48	76,39	75,57	-	-	50	15	-	21	
21T5/60-0	A	60	95,49	94,67	-	-	65	15	-	21	

"Df e Dm possono variare senza preavviso"

"Nelle forme costruttive gli scarichi di alleggerimento possono leggermente variare"



T5 16 (passo 5 mm) per cinghia di larghezza 16 mm T5 16 (5 mm pitch) for 16 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	27T5/10-2	AF	10	15,92	15,09	Bm0	19,5	11	21	17,5	27
	27T5/12-2	AF	12	19,10	18,27	Bm1	22,0	11	21	17,5	27
	27T5/14-2	AF	14	22,28	21,45	Bm2	25,0	14	21	17,5	27
	27T5/15-2	AF	15	23,87	23,04	Bm3	28,0	16	21	17,5	27
	27T5/16-2	AF	16	25,46	24,64	Bm4	32,0	18	21	17,5	27
	27T5/18-2	AF	18	28,65	27,82	Bm4	32,0	20	21	17,5	27
	27T5/19-2	AF	19	30,24	29,41	Bm5	36,0	22	21	17,5	27
	27T5/20-2	AF	20	31,83	31,00	Bm5	36,0	23	21	17,5	27
	27T5/22-2	AF	22	35,01	34,19	Bm6	38,0	24	21	17,5	27
	27T5/24-2	AF	24	38,20	37,37	Bm7	41,0	26	21	17,5	27
	27T5/25-2	AF	25	39,79	38,96	Bm8	47,0	26	21	17,5	27
	27T5/26-2	AF	26	41,38	40,55	Bm8	47,0	26	21	17,5	27
	27T5/27-2	AF	27	42,97	42,14	Bm9	48,0	30	21	17,5	27
	27T5/28-2	AF	28	44,56	43,73	Bm9	48,0	32	21	17,5	27
	27T5/30-2	AF	30	47,75	46,92	Bm10	51,0	34	21	17,5	27
27T5/32-2	AF	32	50,93	50,10	Bm11	54,0	38	21	17,5	27	
27T5/36-2	AF	36	57,30	56,47	Bm14	63,0	38	21	17,5	27	
27T5/40-2	AF	40	63,66	62,83	Bm15	66,0	40	21	17,5	27	
27T5/42-2	AF	42	66,85	66,02	Bm16	72,0	40	21	17,5	27	
27T5/44-0	A	44	70,03	69,20	-	-	45	21	-	27	
27T5/48-0	A	48	76,39	75,57	-	-	50	21	-	27	
27T5/60-0	A	60	95,49	94,67	-	-	65	21	-	27	

T5 25 (passo 5 mm) per cinghia di larghezza 25 mm T5 25 (5 mm pitch) for 25 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	36T5/10-2	AF	10	15,92	15,09	Bm0	19,5	11	30	26,5	36
	36T5/12-2	AF	12	19,10	18,27	Bm1	22,0	11	30	26,5	36
	36T5/14-2	AF	14	22,28	21,45	Bm2	25,0	14	30	26,5	36
	36T5/15-2	AF	15	23,87	23,04	Bm3	28,0	16	30	26,5	36
	36T5/16-2	AF	16	25,46	24,64	Bm4	32,0	18	30	26,5	36
	36T5/18-2	AF	18	28,65	27,82	Bm4	32,0	20	30	26,5	36
	36T5/19-2	AF	19	30,24	29,41	Bm5	36,0	22	30	26,5	36
	36T5/20-2	AF	20	31,83	31,00	Bm5	36,0	23	30	26,5	36
	36T5/22-2	AF	22	35,01	34,19	Bm6	38,0	24	30	26,5	36
	36T5/24-2	AF	24	38,20	37,37	Bm7	41,0	26	30	26,5	36
	36T5/25-2	AF	25	39,79	38,96	Bm8	47,0	26	30	26,5	36
	36T5/26-2	AF	26	41,38	40,55	Bm8	47,0	26	30	26,5	36
	36T5/27-2	AF	27	42,97	42,14	Bm9	48,0	30	30	26,5	36
	36T5/28-2	AF	28	44,56	43,73	Bm9	48,0	32	30	26,5	36
	36T5/30-2	AF	30	47,75	46,92	Bm10	51,0	34	30	26,5	36
36T5/32-2	AF	32	50,93	50,10	Bm11	54,0	38	30	26,5	36	
36T5/36-2	AF	36	57,30	56,47	Bm14	63,0	38	30	26,5	36	
36T5/40-2	AF	40	63,66	62,83	Bm15	66,0	40	30	26,5	36	
36T5/42-2	AF	42	66,85	66,02	Bm16	72,0	40	30	26,5	36	
36T5/44-0	A	44	70,03	69,20	-	-	45	30	-	36	
36T5/48-0	A	48	76,39	75,57	-	-	50	30	-	36	
36T5/60-0	A	60	95,49	94,67	-	-	65	30	-	36	

"Df e Dm possono variare senza preavviso"

"Nelle forme costruttive gli scarichi di alleggerimento possono leggermente variare"

T10 16 (passo 10 mm) per cinghia di larghezza 16 mm
T10 16 (10 mm pitch) for 16 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	31T10/12-2	AF	12	38,20	36,35	Bm7	41	28	21	17,5	31
	31T10/14-2	AF	14	44,56	42,71	Bm9	48	32	21	17,5	31
	31T10/15-2	AF	15	47,75	45,90	Bm10	51	32	21	17,5	31
	31T10/16-2	AF	16	50,93	49,08	Bm11	54	35	21	17,5	31
	31T10/18-2	AF	18	57,30	55,45	Bm13	60	40	21	17,5	31
	31T10/19-2	AF	19	60,48	58,63	Bm15	66	44	21	17,5	31
	31T10/20-2	AF	20	63,66	61,81	Bm15	66	46	21	17,5	31
	31T10/22-2	AF	22	70,03	68,18	Bm17	75	52	21	17,5	31
	31T10/24-2	AF	24	76,39	74,55	Bm19	83	58	21	17,5	31
	31T10/25-2	AF	25	79,58	77,73	Bm19	83	60	21	17,5	31
	31T10/26-2	AF	26	82,76	80,91	Bm20	87	60	21	17,5	31
31T10/27-2	AF	27	85,94	84,10	Bm21	91	60	21	17,5	31	
31T10/28-2	AF	28	89,13	87,28	Bm22	93	60	21	17,5	31	
31T10/30-2	AF	30	95,49	93,65	Bm23	97	60	21	17,5	31	
31T10/32-2	AF	32	101,86	100,01	Bm25	106	65	21	17,5	31	
31T10/36-2	AF	36	114,59	112,74	Bm28	119	70	21	17,5	31	
31T10/40-2	AF	40	127,32	125,48	Bm31	131	80	21	17,5	31	
31T10/44-0	A	44	140,06	138,21	-	-	88	21	-	31	
31T10/48-0	A	48	152,79	150,94	-	-	95	21	-	31	
31T10/60-0	A	60	190,99	189,14	-	-	110	21	-	31	

T10 25 (passo 10 mm) per cinghia di larghezza 25 mm
T10 25 (10 mm pitch) for 25 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	40T10/12-2	AF	12	38,20	36,35	Bm7	41	28	30	26,5	40
	40T10/14-2	AF	14	44,56	42,71	Bm9	48	32	30	26,5	40
	40T10/15-2	AF	15	47,75	45,90	Bm10	51	32	30	26,5	40
	40T10/16-2	AF	16	50,93	49,08	Bm11	54	35	30	26,5	40
	40T10/18-2	AF	18	57,30	55,45	Bm13	60	40	30	26,5	40
	40T10/19-2	AF	19	60,48	58,63	Bm15	66	44	30	26,5	40
	40T10/20-2	AF	20	63,66	61,81	Bm15	66	46	30	26,5	40
	40T10/22-2	AF	22	70,03	68,18	Bm17	75	52	30	26,5	40
	40T10/24-2	AF	24	76,39	74,55	Bm19	83	58	30	26,5	40
	40T10/25-2	AF	25	79,58	77,73	Bm19	83	60	30	26,5	40
	40T10/26-2	AF	26	82,76	80,91	Bm20	87	60	30	26,5	40
40T10/27-2	AF	27	85,94	84,10	Bm21	91	60	30	26,5	40	
40T10/28-2	AF	28	89,13	87,28	Bm22	93	60	30	26,5	40	
40T10/30-2	AF	30	95,49	93,65	Bm23	97	60	30	26,5	40	
40T10/32-2	AF	32	101,86	100,01	Bm25	106	65	30	26,5	40	
40T10/36-2	AF	36	114,59	112,74	Bm28	119	70	30	26,5	40	
40T10/40-2	AF	40	127,32	125,48	Bm31	131	80	30	26,5	40	
40T10/44-0	A	44	140,06	138,21	-	-	88	30	-	40	
40T10/48-0	A	48	152,79	150,94	-	-	95	30	-	40	
40T10/60-0	A	60	190,99	189,14	-	-	110	30	-	40	

T10 32 (passo 10 mm) per cinghia di larghezza 32 mm
T10 32 (10 mm pitch) for 32 mm width belt

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	47T10/18-2	AF	18	57,30	55,45	Bm13	60	40	37	33,5	47
	47T10/19-2	AF	19	60,48	58,63	Bm15	66	44	37	33,5	47
	47T10/20-2	AF	20	63,66	61,81	Bm15	66	46	37	33,5	47
	47T10/22-2	AF	22	70,03	68,18	Bm17	75	52	37	33,5	47
	47T10/24-2	AF	24	76,39	74,55	Bm19	83	58	37	33,5	47
	47T10/25-2	AF	25	79,58	77,73	Bm19	83	60	37	33,5	47
	47T10/26-2	AF	26	82,76	80,91	Bm20	87	60	37	33,5	47
	47T10/27-2	AF	27	85,94	84,10	Bm21	91	60	37	33,5	47
	47T10/28-2	AF	28	89,13	87,28	Bm22	93	60	37	33,5	47
	47T10/30-2	AF	30	95,49	93,65	Bm23	97	60	37	33,5	47
	47T10/32-2	AF	32	101,86	100,01	Bm25	106	65	37	33,5	47
47T10/36-2	AF	36	114,59	112,74	Bm28	119	70	37	33,5	47	
47T10/40-2	AF	40	127,32	125,48	Bm31	131	80	37	33,5	47	
47T10/44-0	A	44	140,06	138,21	-	-	88	37	-	47	
47T10/48-0	A	48	152,79	150,94	-	-	95	37	-	47	
47T10/60-0	A	60	190,99	189,14	-	-	110	37	-	47	

"Df e Dm possono variare senza preavviso"

"Nelle forme costruttive gli scarichi di alleggerimento possono leggermente variare"



**T10 50 (passo 10 mm) per cinghia di larghezza 50 mm
T10 50 (10 mm pitch) for 50 mm width belt**

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,0 Flange 1,0	Df	Dm	B1	B2	L
	66T10/18-2	AF	18	57,30	55,45	Bm13	60	40	56	52,5	66
	66T10/19-2	AF	19	60,48	58,63	Bm15	66	44	56	52,5	66
	66T10/20-2	AF	20	63,66	61,81	Bm15	66	46	56	52,5	66
	66T10/22-2	AF	22	70,03	68,18	Bm17	75	52	56	52,5	66
	66T10/24-2	AF	24	76,39	74,55	Bm19	83	58	56	52,5	66
	66T10/25-2	AF	25	79,58	77,73	Bm19	83	60	56	52,5	66
	66T10/26-2	AF	26	82,76	80,91	Bm20	87	60	56	52,5	66
	66T10/27-2	AF	27	85,94	84,10	Bm21	91	60	56	52,5	66
	66T10/28-2	AF	28	89,13	87,28	Bm22	93	60	56	52,5	66
	66T10/30-2	AF	30	95,49	93,65	Bm23	97	60	56	52,5	66
	66T10/32-2	AF	32	101,86	100,01	Bm25	106	65	56	52,5	66
	66T10/36-2	AF	36	114,59	112,74	Bm28	119	70	56	52,5	66
	66T10/40-2	AF	40	127,32	125,48	Bm31	131	80	56	52,5	66
	66T10/44-0	A	44	140,06	138,21	-	-	88	56	-	66
66T10/48-0	A	48	152,79	150,94	-	-	95	56	-	66	
66T10/60-0	A	60	190,99	189,14	-	-	110	56	-	66	

**T20 32 (passo 20 mm) per cinghia di larghezza 32 mm
T20 32 (20 mm pitch) for 32 mm width belt**

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,5 Flange 1,5	Df	Dm	B1	B2	L
	53T20/18-2	AF	18	114,59	111,73	Bm92	119	80	42	37	53
	53T20/20-2	AF	20	127,32	124,47	Bm43	138	90	42	37	53
	53T20/22-2	AF	22	140,06	137,20	Bm45	145	90	42	37	53
	53T20/24-2	AF	24	152,79	149,93	Bm47	162	95	42	37	53
	53T20/25-2	AF	25	159,15	156,30	Bm48	168	95	42	37	53
	53T20/30-2	AF	30	190,99	188,13	Bm52	200	110	42	37	53
	53T20/32-0	A	32	203,72	200,86	-	-	110	42	-	53
	53T20/36-0	A	36	229,18	226,33	-	-	110	42	-	53
	53T20/40-0	A	40	254,65	251,80	-	-	110	42	-	53
	53T20/48-0	A	48	305,58	302,73	-	-	130	42	-	53
	53T20/60-0	A	60	381,97	379,12	-	-	130	42	-	53

**T20 50 (passo 20 mm) per cinghia di larghezza 50 mm
T20 50 (20 mm pitch) for 50 mm width belt**

Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,5 Flange 1,5	Df	Dm	B1	B2	L
	71T20/18-2	AF	18	114,59	111,73	Bm92	119	80	60	55	71
	71T20/20-2	AF	20	127,32	124,47	Bm43	138	90	60	55	71
	71T20/22-2	AF	22	140,06	137,20	Bm45	145	90	60	55	71
	71T20/24-2	AF	24	152,79	149,93	Bm47	162	95	60	55	71
	71T20/25-2	AF	25	159,15	156,30	Bm48	168	95	60	55	71
	71T20/30-2	AF	30	190,99	188,13	Bm52	200	110	60	55	71
	71T20/32-0	A	32	203,72	200,86	-	-	110	60	-	71
	71T20/36-0	A	36	229,18	226,33	-	-	110	60	-	71
	71T20/40-0	A	40	254,65	251,80	-	-	110	60	-	71
	71T20/48-0	A	48	305,58	302,73	-	-	130	60	-	71
	71T20/60-0	A	60	381,97	379,12	-	-	130	60	-	71

"Df e Dm possono variare senza preavviso"

"Nelle forme costruttive gli scarichi di alleggerimento possono leggermente variare"

T20 75 (passo 20 mm) per cinghia di larghezza 75 mm T20 75 (20 mm pitch) for 75 mm width belt											
Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,5 Flange 1,5	Df	Dm	B1	B2	L
	106T20/18-2	AF	18	114,59	111,73	Bm92	119	80	85	80	106
	106T20/20-2	AF	20	127,32	124,47	Bm43	138	90	85	80	106
	106T20/22-2	AF	22	140,06	137,20	Bm45	145	90	85	80	106
	106T20/24-2	AF	24	152,79	149,93	Bm47	162	95	85	80	106
	106T20/25-2	AF	25	159,15	156,30	Bm48	168	95	85	80	106
	106T20/30-2	AF	30	190,99	188,13	Bm52	200	110	85	80	106
	106T20/32-0	A	32	203,72	200,86	-	-	110	85	-	106
	106T20/36-0	A	36	229,18	226,33	-	-	110	85	-	106
	106T20/40-0	A	40	254,65	251,80	-	-	110	85	-	106
	106T20/48-0	A	48	305,58	302,73	-	-	130	85	-	106
	106T20/60-0	A	60	381,97	379,12	-	-	130	85	-	106

T20 100 (passo 20 mm) per cinghia di larghezza 100 mm T20 100 (20 mm pitch) for 100 mm width belt											
Alluminio / Aluminium	Codice Code	Disegno Drawing	N° Denti Teeth	Dp	De	Flangia 1,5 Flange 1,5	Df	Dm	B1	B2	L
	123T20/18-2	AF	18	114,59	111,73	Bm92	119	80	110	105	123
	123T20/20-2	AF	20	127,32	124,47	Bm43	138	90	110	105	123
	123T20/22-2	AF	22	140,06	137,20	Bm45	145	90	110	105	123
	123T20/24-2	AF	24	152,79	149,93	Bm47	162	95	110	105	123
	123T20/25-2	AF	25	159,15	156,30	Bm48	168	95	110	105	123
	123T20/30-2	AF	30	190,99	188,13	Bm52	200	110	110	105	123
	123T20/32-0	A	32	203,72	200,86	-	-	110	110	-	123
	123T20/36-0	A	36	229,18	226,33	-	-	110	110	-	123
	123T20/40-0	A	40	254,65	251,80	-	-	110	110	-	123
	123T20/48-0	A	48	305,58	302,73	-	-	130	110	-	123
	123T20/60-0	A	60	381,97	379,12	-	-	130	110	-	123

"Df e Dm possono variare senza preavviso"

"Nelle forme costruttive gli scarichi di alleggerimento possono leggermente variare"