

RS485 (Modbus, EXOline)

Artnr C150-S

N.B. This article is discontinued.



| Article specifications C150-S | |
|-------------------------------|---|
| Inputs | 8 |
| Outputs | 7 |
| Dual ports | - |

| Product specifications | |
|------------------------|--|
| Supply voltage | 24 V AC $\pm 15\%$, 50...60 Hz or 20...36 V DC |
| Power consumption | 5 VA |
| Display | Backlit, LCD, 4 rows of 20 characters, international character set |
| Dimensions (WxHxD) | 148 x 123 x 58 mm, 8.5 modulesmm |
| Protection class | IP20 |
| Mounting | DIN-rail or cabinet |
| Analogue inputs (AI) | 0...10 V DC, 0...200 mV, PT1000, DIN Ni1000, LGNi1000, 12-bit A/D |
| Digital inputs (DI) | Floating switch, 24 V DC, configurable for pulse input |
| Universal inputs (UI) | AI or DI (see above) |
| Analogue outputs (AO) | 0...10 V DC, 5 mA, 8-bit D/A, short-circuit proof |
| Digital outputs (DO) | Mosfet 24 V AC/DC, 2 A. Totally max. 8 A. |
| 24 V DC output | 0.1 A, short-circuit proof |
| Communication | EXOline, Modbus or dial-up connection Port 1, isolated, via a built-in RS485 connector. Modems are available as accessories for Port 1. There are models with TCP/IP or LON communication. |
| Operating system | EXOreal |
| Battery backup | Memory and real-time clock, at least 5 years |



Artnr C80D-S

N.B. This article is discontinued.

Inputs
5

Outputs
3

Dual ports
-



Artnr **C80-S**

N.B. This article is discontinued.

Inputs
5

Outputs
3

Dual ports
-



Artnr **C150D-S**

N.B. This article is discontinued.

Inputs
8

Outputs
7

Dual ports
-



Artnr **C150-S**

N.B. This article is discontinued.

Inputs
8

Outputs
7

Dual ports
-



Artnr **C152D-S**

N.B. This article is discontinued.

Inputs
8

Outputs
7

Dual ports
X



Artnr **C152-S**

N.B. This article is discontinued.

Inputs
8

Outputs
7

Dual ports
X



Artnr **C280D-S**

N.B. This article is discontinued.

Inputs
16

Outputs
12

Dual ports
-



Artnr **C280-S**

N.B. This article is discontinued.

Inputs
16

Outputs
12

Dual ports
-



Artnr **C282D-S**

N.B. This article is discontinued.

Inputs
16

Outputs
12

Dual ports
X



Artnr **C282-S**

N.B. This article is discontinued.

Inputs
16

Outputs
12

Dual ports
X

Accessories



Artnr **EK12**

Cable for connecting ED9200 to a Corrigo E...-S, EXOcompact C...-S, Exigo, EXOclevor or EXOdos



Artnr EK14

Cable for connecting ED9200 to a Corrigo E...-S EXOcompact C...-S, Exigo or EXOdos
